

Methodology for Monitoring Marine Litter on the Seafloor (continental shelf) Bottom trawl surveys



Prepared by: Thomais Vlachogianni (MIO-ECSDE) & Stelios Somarakis (HCMR)
With contributions from: Francesca Ronchi, Tiziana Chieruzzi & Tomaso Fortibuoni (ISPRA),
Vicky Paraskevopoulou & Vaggelis Kalampokis (MIO-ECSDE),
Uros Robic (IWRS)



The project is co-funded by the European Union, Instrument for Pre-Accession Assistance



Derelict **Fish**ing **Gear** management system in the Adriatic Region **www.defishgear.net**



The DeFishGear project aims to facilitate efforts for integrated planning to reduce the environmental impacts of litter-generating activities and ensure the sustainable management of the marine and coastal environment of the Adriatic Sea. The DeFishGear activities are implemented by a multi-disciplinary team comprising academia, research institutes, national and local authorities and NGOs from all seven countries of the Adriatic Sea, reinforcing and strengthening cooperation and fostering joint and harmonized actions towards a litter-free Adriatic.

This publication has been prepared by the DeFishGear Work Package Leader Mediterranean Information Office for Environment, Culture and Sustainable Development (MIO-ECSDE) and the Hellenic Centre for Marine Research (Anavyssos, Greece), with contributions from the DeFishGear partners Italian National Institute for Environmental Protection and Research (Rome, Italy) and the Institute for water of the Republic of Slovenia (Ljubljana, Slovenia).

"This publication has been produced with the financial assistance of the IPA Adriatic Cross-Border Cooperation Programme. The contents of this publication are the sole responsibility of project partners and can under no circumstances be regarded as reflecting the position of the IPA Adriatic Cross-Border Cooperation Programme Authorities".

1. Introduction

The following methodology has been prepared based on the EU MSFD TG10 "Guidance on Monitoring of Marine Litter in European Seas (2013)", the NOOA "Marine Debris Monitoring and Assessment: Recommendations for Monitoring Debris Trends in the Marine Environment (2013) and the "MEDITS International bottom trawl survey in the Mediterranean, Instructional Manual", taking into consideration the draft "UNEP/MAP MEDPOL Monitoring Guidance Document on Ecological Objective 10: Marine Litter (2014)".

2. Introduction

The bottom trawling method is considered to be the most suitable for large scale evaluation and monitoring of benthic debris. Nevertheless there are some sampling restrictions in rocky areas and in soft sediments and the method may underestimate the quantities of litter present.

As pointed out in the 2013 report of the MSFD Technical Subgroup on Marine Litter, international bottom trawl surveys, like the MEDITS survey in the Mediterranean Sea¹, provide the most suitable means for broad-scale evaluation and monitoring of sea-floor litter. In the MEDITS survey, a harmonized methodology is used and, specifically, a common gear and fishing operation and sampling scheme (GOV net, 20 mm mesh, 30-60 min tow, covering of the entire 10-800 m depth zone). Most importantly, MEDITS provides the means (though the use of acoustic equipment) for monitoring the trawl geometry and the accurate estimation of the "swept area", a parameter required for recording litter as items per km².

It is clarified herewith that the DeFishGear seafloor surveys will not be carried out onboard the MEDITS survey, however, future evaluation and monitoring of sea-floor litter in the project area is expected to take place onboard MEDITS. In addition, given the difficulties related to implementing standardized bottom trawl surveys within the scope of the DeFishGear project, the MEDITS protocol will be followed as close as possible and emphasis will be placed on the standardization of post-sampling operations (identification, categorization and enumeration of litter).

3. Site selection

Sites should be selected to ensure that they:

- ✓ Comprise areas with uniform substrate (ideally sand/silt bottom);
- ✓ Consider areas that might accumulate litter;
- ✓ Avoid areas of risk (presence of munitions), sensitive or protected areas;
- ✓ Do not exert impacts on any endangered or protected species.

Sites should be chosen following a two-fold approach: (i) selecting sites that meet certain criteria (e.g. are close to ports, river mouths, cities, etc.); (ii) choosing randomly from a large number of sites.

4. Survey area

With regards to the sampling area, the MEDITS survey uses a depth stratified sampling scheme with random selection of trawling sites (same positions each year) within each stratum. The sampling strata are the depth zones: 10-50, 50-100, 100-200, 200-500 and 500-800 m. The number of stations in each stratum is proportional to the surface of these strata (see table 1).

¹ The MEDITS survey fully covers the area of the DeFishGear project (GFCM Geographical Subareas 17, 18 and 20).



_

Within the DeFishGear project, the following strata will be sampled: (a) 10-50 m, (b) 50-100 m, and 100-200 m, i.e. only the continental shelf will be covered. The size of the sampling area will be defined by each participating Partner on the basis of the resources available for this task. The sampling density will be at least 2-3 stations (hauls) per 1000 km² in each stratum (average sampling density of the MEDITS survey) and/or 2-3 stations per sampling stratum.

Table 1. Surface area of depth strata and corresponding number of stations in the MEDITS survey by country and GFCM Geographical subarea (GSA). GSA17: Northern Adriatic; GSA18: Southern Adriatic; GSA20: Eastern Ionian.

				Are	a (km²)					Targeted	number of hau	ıls	
GSA	Depth stratum	Italy	Slovenia	Croatia	Montenegro	Albania	Greece	Italy	Slovenia	Croatia	Montenegro	Albania	Greece
GSA17	10-50 m	22000	184	7308				43	2	14			
	50-100 m	18550		14785				37		28			
	100-200 m	14950		7225				30		13			
	200-500 m	3900		2409				8		5			
	500-800 m	950						2					
GSA18	10-50 m	2582			280	568		9			2	2	
	50-100 m	3104			1100	2231		11			2	7	
	100-200 m	5778			1700	2186		20			2	6	
	200-500 m	1771			1150	1840		6			2	6	
	500-800 m	2038			770	1910		7			2	6	
GSA20	10-50 m						2916						6
	50-100 m						4365						9
	100-200 m						2536						5
	200-500 m						3158						6
	500-800 m						3848						6

5. Frequency and timing of surveys

At least two surveys in autumn and spring will be carried out within the scope of the DeFishGear project (Sep 2014-Jul 2015).

The proposed surveys periods are:


✓ Autumn 2014: September-October

✓ Spring 2015: April

Following the MEDITS protocol, the hauls should be ideally performed during daylight. The daylight period is defined as the time between 30 minutes after sunrise and 30 minutes before sunset.

6. Trawling operation

Given that the DeFishGear seafloor surveys will be performed with otter trawl fishing fleets or research vessels which use different gear (unlike the MEDITS surveys which use GOV nets), with no acoustic equipment, etc., it is evident that handling operations and parameters (such as type of mesh, mesh size of cod end, etc.) during the surveys cannot be standardized among and between the project partners. Nevertheless, MEDITS survey protocol will be





followed as close as possible as described below:

- <u>Haul position & orientation</u>: The hauls will be positioned following a stratified sampling design, including at least three strata: 20-50 m; 51-100 m; 101-200 m, wherever possible. The hauls will be made over the same position in each sampling survey. The depth variations during the haul will not exceed ± 5% relative to the initial depth. The discrepancies to this target should be recorded. As far as possible, the hauls will be rectilinear.
- <u>Haul speed & duration</u>: The vessel speed will be 3 knots during the haul. However, if the skipper indicates that a slightly different speed is appropriate for optimal gear operation (depends on net characteristics) the vessel speed will be altered accordingly. In any case, vessel speed, hauling depth and geographical position will be continuously monitored during the haul (e.g. every 5 min). The haul duration is fixed at 30 min.
- Haul start and end definition: The start of the haul is defined as the moment at which the trawl geometry (vertical and horizontal) is stabilized. In the absence of electronic equipment (acoustic devices like SCANMAR, etc.) the actual start time will be indicated by the skipper. The end of the haul is defined as the moment at which warp hauling begins.
- Gear characteristics: Cod-end mesh size and head rope length should be recorded.

7. Size classes to be surveyed

The following size range classes will be reported for each recorded litter item:

- A. $< 5 \text{cm} * 5 \text{cm} = 25 \text{cm}^2$
- B. $< 10 \text{cm} * 10 \text{cm} = 100 \text{cm}^2$
- C. $< 20 \text{cm} * 20 \text{cm} = 400 \text{cm}^2$
- D. $< 50 \text{cm} * 50 \text{cm} = 2500 \text{cm}^2$
- E. $< 100 \text{cm} 100 \text{cm} = 10000 \text{cm}^2 = 1 \text{m}^2$
- F. $> 100 \text{cm} 100 \text{cm} = 10000 \text{cm}^2 = 1 \text{m}^2$

8. Identification of litter

All items collected from the haul will be entered on the 'Benthic Litter Monitoring Sheet'. On the sheet, each type of item is given a unique identification number. The identification and correct categorization of litter items should be facilitated by the 'DeFishGear Photo Guide'.

Unknown litter or items that are not on the survey sheet will be noted in the appropriate "other item box". A short description of the item will then be included on the survey sheet. If possible, digital photos will be taken of unknown items so that they can be identified later and, if necessary, be added to the survey sheet.

9. Quantification of litter

The unit in which litter will be recorded will be number of items and it will be expressed as counts of litter items per square kilometer (litter items/km²). The total weight of litter items per haul will be recorded, as well as the weight per each litter main category. In addition, the total weight of each haul should be recorded as well as the weight of the commercial fish caught in it.

The estimation of litter items/km² requires the estimation of the "swept area". The latter is difficult to be monitored accurately during the haul because it requires the use of specialized equipment, like acoustic devices mounted on the trawl net. Such instruments will not be available during the DeFishGear samplings. However, the skipper, knowing by experience the geometry of its gear, can advise the DeFishGear Partners on the effective mouth width and height of the net during each fishing operation.

Alternatively, the swept area can also be estimated following the method of Sparre and Venema (1998):



The trawl sweeps a path, the area of which is the length of the path times the width of the trawl, called the "swept area" or the "effective path swept". The swept area (a) can be estimated from:

$$a = D * h * X$$
 where $D = V * t$

Where:

V is the velocity of the trawl over the ground when trawling;

h is the length of the head-rope;

D is the cover of distance;

t is the time spent trawling;

X is that fraction of the head-rope length, which is equal to the width of the path swept by the trawl. The value of X varies from 0.4 to 0.66 for tropical waters and a value of X = 0.5 has been suggested as the best compromise value for the Mediterranean Sea (Sparre and Venema, 1992).




Figure 1. Swept area (source: http://www.fao.org/docrep/w5449e/w5449e0f.htm)

When exact positions of the start and the end of the haul are available the distance covered can be estimated in units of nautical miles (nm), by:

D=
$$60*\sqrt{(\text{Lat1-Lat2})^2 + (\text{Lor1-Lor2})^2*\cos^2(0.5*(\text{Lat1+Lat2}))}$$
.....

Where:

Lat1 = latitude at start of haul (degrees)

Lat2 = latitude at end of haul (degrees)

Lon1 = longitude at start of haul (degrees)

Lon2 = longitude at end of haul (degrees)

10. Equipment/Consumables

The following items are necessary to carry out beach surveys:

- ✓ Bucket or box
- ✓ Tape measure
- ✓ Plastic bags to collect the litter
- ✓ Digital camera;
- ✓ Hand-held GPS unit;
- ✓ Extra batteries (ideally rechargeable batteries);
- ✓ Clipboard for the surveyor;
- ✓ Digital scales for weighing litter (ideally with a 1g precision)
- ✓ Recording sheets (printed on waterproof paper);
- ✓ Pencils
- ✓ First aid kit (to include sunscreen, bug spray, drinking water).



11. Additional considerations

It should be noted that within the DeFishGear project trawling boats will be rented by partners to perform the sea-floor litter monitoring activities in their respective countries. It should be stressed that in order to ensure that survey sites meet specific criteria (as outlined in Paragraph 3) and are revisited, this activity should be decoupled from fishing for litter activities performed within WP6.

12. References

Can MF, Mazlum Y, Demirci A, Akta M. The Catch Composition and Catch per Unit of Swept Area (CPUE) of Penaeid Shrimps in the Bottom Trawls from Iskenderun Bay, Turkey. Turkish Journal of Fisheries and Aquatic Sciences, 2004, 4: 87-91.

Cheshire AC, Adler E, Barbière J, Cohen Y, Evans S, Jarayabhand S, Jeftic L, Jung RT, Kinsey S, Kusui ET, Lavine I, Manyara P, Oosterbaan L, Pereira MA, Sheavly S, Tkalin A, Varadarajan S, Wenneker B, Westphalen G. UNEP Regional Seas Reports and Studies, No. 186; IOC Technical Series No. 83, 2009.

Galgani F, Hanke G, Werner S, de Vrees L, Piha H, Abaza V, Alcaro L, Belchior C, Brooks C, Budziak A, Carroll C, Christiansen T, Dagevos J, Detloff K, Fleet D, Hagebro C, Holdsworth N, Kamizoulis G, Katsanevakis S, Kinsey S, Lopez-Lopez L, Maes T, Matiddi M, Meacle M, Morison S, Mouat John, Nilsson P, Oosterbaan L, Palatinus A, Rendell J, Serrano López A, Sheavly SB, Sobral P, Svärd B, Thompson R, van Franeker J, Veiga J, Velikova V, Vlachogianni T, Wenneker B. Marine Litter, Technical Recommendations for the Implementation of MSFD Requirements, MSFD GES Technical Subgroup on Marine Litter. Publications Office of the European Union, 2011.

Galgani F, Hanke G, Werner S, Oosterbaan L, Nilsson P, Fleet D, Kinsey S, Thompson RC, van Franeker J, Vlachogianni Th, Scoullos M, Veiga JM, Palatinus A, Matiddi M, Maes T, Korpinen S, Budziak A, Leslie H, Gago J, Liebezeit G. Guidance on Monitoring of Marine Litter in European Seas. Scientific and Technical Research series, Luxembourg: Publications Office of the European Union, 2013.

Lippiatt S, Opfer S, Arthur C. Marine Debris Monitoring and Assessment. NOAA Technical Memorandum NOS-OR&R-46, 2013.

MEDITS Working Group. International bottom trawl survey in the Mediterranean, Instructional Manual, 2013, n. 7 (http://www.sibm.it/MEDITS%202011/docs/Medits Handbook 2013 version 7 25092013.pdf)

Sparre P, Venema SC. Introduction to Tropical Fish Stock Assessment (Part 1). FAO Fish. Tech. Pap., 1998: 306/1, Rev. 2, Rome (http://www.fao.org/docrep/w5449e/w5449e0f.htm).

Sparre P, Venema SC. Introduction to tropical fish stock assessment, Part 1-manual. FAO Fisheries technical paper, 1992, 306-1, rev. 1.





Monitoring Marine Litter (Macro) on the Seafloor Data Sheet

Location name							
DFG location ID							
Country							
Surveyor Name		•					
e-mail address							
Date of survey							
VESSEL CHARACTERISTICS							
Vessel name		Name of the vessel					
Type of vessel		Type e.g. research, fishing, hired, regular ferry etc.					
Vessel length and tonnage		Length of the vessel (metres) Gross weight of the vessel (tonnes)					
Vessel engine power		Vessel engine power (kilowatt)					
HAUL DETAILS							
Latitude/longitude start		Recorded as nnn.nnnnn degrees at the start of the sample unit					
Latitude/longitude end		Recorded as nnn.nnnnn degrees at the end of the sample unit					
Coordinates system		Datum and coordinate system employed					
Vessel speed		Average vessel speed in knots					
Start time/end time		Time over which the survey (haul) took place					
Mouth horizontal/vertical opening		Record the trawl mouth horizontal and vertical opening (mm)					
Haul position/depth		Record the average haul position					
Cod end mesh size		Record mesh size (mm)					
Cod end type		Type of cod end e.g. diamond mesh, square mesh					
Head rope length		Record the length of the head rope (m)					
ENVIRONMENTAL PARAMETERS	- OBSERVATION DETAILS						
Wind speed		Recorded in (Beaufort)					
Wind	□N□E□S□W	Tick more than one boxes e.g. for SE wind					
Sea state		Expressed in accordance with the Douglas Sea Scale (0-9)					
NOTES							

SITE CHARACTERISTICS		
Nearest river name		Name of nearest river
Nearest river distance		Distance to the nearest natural input (river or stream) (kilometers)
Nearest river position	□n □e□s □w	Position of river mouth in relation to survey area
Nearest major fishery		Name of the nearest major fishery (named by type)
Nearest major fishery distance		Distance to the nearest major fishery (kilometers)
Nearest major fishery position	□n □e□s □w	Position of the nearest major fishery in relation to survey area
Nearest town		Name of nearest town
Nearest town distance		Distance to the nearest town (kilometers)
Nearest town position	□n □e□s □w	Position of the nearest town in relation to survey area
Population size of this town		No of inhabitants
Additional features of the town	☐ Residential ☐ Tourist ☐ Residential & tourist ☐ Autumn ☐ Winter ☐ Spring ☐ Summer ☐ Autumn	Indicate the main characteristic of the town, residential or touristic town; in case of the later indicate the high season peak
Name of the nearest beach		Name of the nearest beach
Distance to nearest beach		Distance to the closest coastline (kilometers)
Position of the nearest coast	□n □e□s □w	Position of the closest coastline in relation to survey area
Nearest shipping lane distance		Distance to the nearest shipping lane (kilometers)
Estimated traffic density		Recorded in number of ships/year
Vessel type		Indicate the type of vessels that mainly use it e.g. merchant ships, etc.
Position of the shipping lane	□n □e□s □w	Position of shipping lane in relation to survey area
Name of the nearest harbor		Name of nearest harbor
Harbor position	□n □e□s □w	Position of the nearest harbor in relation to survey area
Type of harbor		Based on the types of vessels visiting the harbor
Size of harbor		Record the number of ships that reach the harbor per year
Nearest discharge of waste water distance		
Position of nearest discharge point	□n□E□s□w	Position of nearest discharge points in relation to survey area
NOTES		

	TYPE OF MATERIAL																										SIZE																						
	ARTIFICIAL POLYMER MATERIALS RUBBER													CLOTH/ TEXTILE						PAPER/ CARD- BOARD			PROCESSED/ WORKED WOOD			METAL									G CEF	LAS RAIV													
G2	99	G10	G18	G27	629	G45	G48	G51	G55	G29	G61	995	G67	693	695	965	665	G124	G125	G127	G128	G132	G133	6134	G137	G141	G142	G145	G146	G148	G158	G160	0.70	G170	G173	G175	6176	G182	G185	G187	G193	G194	G196	G200	G201	G208	G209	0179	CLASSES
Bags	Bottles	Food containers inc. fast food containers	Crates and containers / baskets	Cigarette butts and filters	Gloves	Mussel nets / Oyester nets	Synthetic rope	Fishing net	Fishing line (entagled)	Fishing line / monofilament (angling)	Other fishing related	Strapping bands	Sheets, indus. packaging, plastic sheeting	Cable ties	Cotton bud sticks	Sanitary towers/panty liners/backing strips Diagra/papaige	Svringes/needles	Other plastic/polystyrene items (identifiable)	Balloons and balloon sticks	Rubber boots	Tyres and belts	Bobbins (fishing)	Condoms (inc.pacjaging)	Other rubber pieces	Clothing/rags (clothing hats towels)	Carpet & Furnishing	Rope, string and nets	Others textiles (inc.rags)	Paper/cardboard	Cardboard (boxes & fragments)	Other paper items	Pallets	W	Wood (processed)	Other (specify)	Cans (beverage)	Annipage (refrigorators weekors etc.)	Appliances (remgerators, washers, etc.) Fishing related (weights, hooks, sinkers, lures	Middle size containers	Drums, e.g. oil	Car parts / batteries	Cables	Large metallic objects	Bottles (incl. pieces)	Jars (incl. pieces)	Glass or ceramic fragments (> 2.5 cm)	Large glass objects (specify)	S	A. < 5cm*5cm = 25cm ² B. < 10cm*10cm = 100cm ² C. < 20cm*20cm = 400cm ² D. < 50cm*50cm = 2500cm ² E. < 100cm-100cm = 10000cm ² = 1m ² F. > 100cm-100cm = 10000cm ² = 1m ²

HAUL RESULTS	
Total weight of litter in the haul	Record litter weight in Kg
Total weight of artificial polymer materials	Record litter weight in Kg
Total No of items of artificial polymer materials	Record number of items
Total weight of rubber	Record litter weight in Kg
Total No of items of rubber	Record number of items
Total weight of cloth/textile	Record litter weight in Kg
Total No of items of cloth/textile	Record number of items
Total weight of paper/cardboard	Record litter weight in Kg
Total No of items of paper/cardboard	Record number of items
Total weight of processed/worked wood	Record litter weight in Kg
Total No of items of processed/worked wood	Record number of items
Total weight of metal	Record litter weight in Kg
Total No of items of metal	Record number of items
Total weight of glass/ceramics	Record litter weight in Kg
Total No of items of glass/ceramics	Record number of items